

# Vacuum Glass Lifter VEB6 RCMBM

**The VEB6 is the vacuum lifter with electric operating system and dual vacuum circuit.**


The VEB6 is a below-the-hook lifting accessory suitable for lifting and handling of glass units weighing up to 600 kg. The VEB6 RCMBM features manual tilt and manual 360 degree rotation.



## Technical specification

Application	glass panels
Lifting capacity	max 600 kg
Suction pads	number 6 round pad, diameter 310mm lipped pads with safety ring
Pad spread	mm 1420x678 in standard configuration
Load movement	continuous 360 degree rotation , with possibility of automatic locking at each 90° 90 degree tilt, with possibility of automatic locking in upright and flat position
Operating system	Electric connection 220 V 1 ph 50Hz
Vacuum system	2 independent vacuum circuits, each vacuum circuit with vacuum reserve and non return valve
Weight of lifter	Kg 95
Structural depth	mm 280
Control	Manual slider valve for suction / release on the device release of the load by unique dual action command Remote control as optional
Standard features	Audible and visual low vacuum warning devices Vacuum gauge for each vacuum circuit Battery charger 240 Volt Vacuum filter Multi position hook connection Lowered suspension for installing of transom window

- Lifting capacity max 600 kg
  - No.6 suction pads Ø 310 mm
  - Electric operating system
  - Manual continues 360° rotation
  - Manual 90° tilt
  - Low vacuum warning device
  - Compact and slim frame
- ✓ Dual vacuum circuit built to EN13155 standard



Available Optional  
**Vacuum lifter with powered rotation and powered tilt**

